

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20050125727".pn.	US-PGPUB	OR	ON	2008/09/30 12:07
S2	1	"20020186238".pn.	US-PGPUB	OR	ON	2008/09/30 12:13
S3	1	"20020085025".pn.	US-PGPUB	OR	ON	2008/09/30 12:33
S4	489	"715".clas. and (select with open with windows)	US-PGPUB; USPAT	OR	ON	2009/03/19 14:44
S5	56	"715".clas. and (select with list with open with windows)	US-PGPUB; USPAT	OR	ON	2009/03/19 14:44
S6	0	"715".clas. and ("open in" with target with window)	US-PGPUB; USPAT	OR	ON	2009/03/19 15:14
S7	16	"715".clas. and ("open in" with window)	US-PGPUB; USPAT	OR	ON	2009/03/19 15:14
S8	0	"715".clas. and ("open page in" with window)	US-PGPUB; USPAT	OR	ON	2009/03/19 15:33
S9	103	"715".clas. and ((select or choose) with target with window)	US-PGPUB; USPAT	OR	ON	2009/03/19 15:35
S10	19	"715".clas. and ((open adj2 in) with window)	US-PGPUB; USPAT	OR	ON	2009/03/19 15:38
S11	562	"715".clas. and ((select or choose) with window with open)	US-PGPUB; USPAT	OR	ON	2009/03/19 15:55
S12	11	"715".clas. and ((select or choose) with "target window" with (menu or list))	US-PGPUB; USPAT	OR	ON	2009/03/19 16:39
S13	0	"715".clas. and ("open in" with "existing window")	US-PGPUB; USPAT	OR	ON	2009/03/19 16:43
S14	0	"715".clas. and ((open \$3 adj2 in) with "existing window")	US-PGPUB; USPAT	OR	ON	2009/03/19 16:44

S15	1	"715".clas. and ((open\$3 adj3 (in or within)) with "existing window")	US-PGPUB; USPAT	OR	ON	2009/03/19 16:44
S16	3	((open\$3 adj3 (in or within)) with "existing window")	US-PGPUB; USPAT	OR	ON	2009/03/19 16:44
S17	1	((open\$3 adj3 (in or within)) with "existing window")	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 16:45
S18	11	((select\$3 or choos\$3) with open\$3 with "existing window")	US-PGPUB; USPAT	OR	ON	2009/03/19 16:46
S19	0	"715".clas. and ((display\$3 adj2 in) with "existing window")	US-PGPUB; USPAT	OR	ON	2009/03/19 16:52
S20	293	"715".clas. and ("existing window")	US-PGPUB; USPAT	OR	ON	2009/03/19 16:54
S21	13	"715".clas. and (load\$3 with "existing window")	US-PGPUB; USPAT	OR	ON	2009/03/19 17:01
S22	0	345/781.ccls.	US-PGPUB; USPAT	OR	ON	2009/03/23 16:51
S23	935	715/781.ccls.	US-PGPUB; USPAT	OR	ON	2009/03/23 16:51
S24	0	715/520.ccls.	US-PGPUB; USPAT	OR	ON	2009/03/23 16:52
S25	0	715/513.ccls.	US-PGPUB; USPAT	OR	ON	2009/03/23 16:52
S26	0	715/523.ccls.	US-PGPUB; USPAT	OR	ON	2009/03/23 16:52
S27	120	715/783.ccls.	US-PGPUB; USPAT	OR	ON	2009/03/23 16:56
S28	220	715/802.ccls.	US-PGPUB; USPAT	OR	ON	2009/03/23 16:57
S29	256	715/803.ccls.	US-PGPUB; USPAT	OR	ON	2009/03/23 16:57
S30	579	715/804.ccls.	US-PGPUB; USPAT	OR	ON	2009/03/23 16:57
S31	185	715/804.ccls. and (open with window)	US-PGPUB; USPAT	OR	ON	2009/03/23 16:57
S32	232	715/804.ccls. and (open\$3 with window)	US-PGPUB; USPAT	OR	ON	2009/03/23 16:57

S33	10	715/804.ccls. and (open\$3 with window with target)	US-PGPUB; USPAT	OR	ON	2009/03/23 16:58
S34	7	715/804.ccls. and (select\$3 with "target window")	US-PGPUB; USPAT	OR	ON	2009/03/23 17:07
S35	19	715/804.ccls. and (select\$3 with window with target)	US-PGPUB; USPAT	OR	ON	2009/03/23 17:11
S36	1	715/804.ccls. and (select\$3 with window with target with open \$3)	US-PGPUB; USPAT	OR	ON	2009/03/23 17:11
S37	0	715/804.ccls. and ("open in")	US-PGPUB; USPAT	OR	ON	2009/03/23 17:12
S38	0	715/804.ccls. and ("open window in")	US-PGPUB; USPAT	OR	ON	2009/03/23 17:12
S39	0	715/804.ccls. and ("open window within")	US-PGPUB; USPAT	OR	ON	2009/03/23 17:12
S40	4	715/804.ccls. and ("open within")	US-PGPUB; USPAT	OR	ON	2009/03/23 17:12
S41	29	"715".clas. and (open adj2 in)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 13:43
S42	0	"715".clas. and (opening adj2 in)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 14:30
S43	389	"715".clas. and (select \$3 with target with (window or pane or tab or frame))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 15:32
S44	18	"715".clas. and (select \$3 with open with target with (window or pane or tab or frame))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 15:33

S45	0	"715".clas. and ((select \$3 or choose) with (window or pane or tab or frame) with (send adj3 to))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 15:55
S46	0	((select\$3 or choose) with (window or pane or tab or frame) with (send adj3 to))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 15:55
S47	12	((select\$3 or choose) with (window or pane or tab or frame) with (open adj3 in))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/24 15:55
S48	801	((title\$1bar or "title bar") with window with menu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 17:46
S49	182	((title\$1bar or "title bar") with window with menu with browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 17:46
S50	152	((title\$1bar or "title bar") with window with menu with browser with list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 17:47
S51	78	thumbnail with "web page" with list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 17:50
S52	13	thumbnail with "web page" with list with title	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 17:50
S53	1	"6356908".pn.	US-PGPUB; USPAT	OR	ON	2009/03/27 15:35

S54	2	openinwindow	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/22 14:36
S55	0	"open in window"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/22 14:37
S56	0	"open" adj "in" adj "window"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/22 14:37
S57	0	"open" adj "in" adj "window"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/22 14:37
S58	23	"open" adj2 "in" adj2 "window"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/22 14:37
S59	26	"open" adj3 "in" adj3 "window"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/22 14:40
S60	32	"open" adj4 "in" adj4 "window"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/22 14:44
S61	32	"open" adj5 "in" adj5 "window"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/22 14:45

S62	30	"open" adj5 "in" adj5 "window"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 00:56
S63	79	"open" adj5 "existing" adj5 "window"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 00:56
S64	60	(choose or select) adj5 "existing" adj5 "window"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 00:57
S65	124	(choos\$3 or select\$3) adj5 "existing" adj5 "window"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 00:57
S66	24	((choos\$3 or select\$3) adj5 "existing" adj5 "window") same open \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 00:57
S67	25	((choos\$3 or select\$3) adj5 "existing" adj5 "window") same (open \$3 or replac\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 00:58
S68	3275	selectively with open\$3 with window	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 01:06
S69	598	(selectively adj5 open \$3 adj5 window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 01:07

S70	13	"715".clas. and (selectively adj5 open \$3 adj5 window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 01:07
S71	305	"open" adj5 "within" adj5 "window"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 01:10
S72	89	"715".clas. and ("open" adj5 "within" adj5 "window")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 01:10
S73	0	"715".clas. and ("open" adj5 "inton" adj5 "window")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 01:10
S74	0	"715".clas. and ("open" adj5 "into" adj5 "window")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 01:10
S75	0	"open" adj5 "into" adj5 "window"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 01:10
S76	101	"open" adj5 "inside" adj5 "window"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 01:11
S77	3	"715".clas. and ("open" adj5 "inside" adj5 "window")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 01:11

S78	146	list adj2 open adj2 windows	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 01:11
S79	67	list adj open adj windows	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 01:12
S80	7	(list adj open adj windows) with (select or click or choose)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 01:13
S81	86	(select or click or choose) with "target window"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 01:19
S82	12	(select or click or choose) with "target window" with open\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 01:20
S83	0	(promot\$3 with window with top) and ((list or menu) with (z-order))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 14:40
S84	80	(promot\$3 with window with top)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 14:41
S85	12	(promot\$3 with window with top) same order	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 14:41

S86	23	(window with top) same ((list or menu) with z-order)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 14:44
S87	131	display\$3 with list with "open windows"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 15:04
S88	43	(display\$3 with list with "open windows") same \$2order\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 15:04
S89	0	z-order same promot \$3 same window same list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 15:21
S90	0	z-order\$3 same promot \$3 same window same list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 15:22
S91	36	z-order\$3 same activ \$5 same window same list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 15:22
S92	62	"715".clas. and (z-order with list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 21:03
S93	0	"715".clas. and (z-order with list) same promot\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 21:03

S94	15	"715".clas. and (z-order with list) same activ\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 21:03
S95	18	"715".clas. and (z-order with menu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 21:08
S96	4	"715".clas. and ("most recent" with top with menu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 21:11
S97	16	"715".clas. and (recent \$2 with top with menu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 21:13
S98	3	"715".clas. and (menu with thumbnail with document with window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 22:03
S99	145	"715".clas. and (display \$3 with thumbnail with menu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 22:06
S100	55	"715".clas. and (display \$3 with thumbnail with menu) same (window or document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 22:09
S101	0	"715".clas. and (display \$3 with thumbnail with menu) same (open adj2 window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 22:11

S102	0	"715".clas. and (display \$3 with thumbnail with menu) same (active adj2 window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 22:11
S103	0	"715".clas. and (display \$3 with thumbnail with menu) same ((open or active) adj3 (window or document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 22:12
S104	48	"715".clas. and (display \$3 with thumbnail) same ((open or active) adj3 (window or document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 22:12
S105	370	menu with open with new with window	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 17:22
S106	73	menu with open with existing with window	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 17:22
S107	17	menu with open with (existing adj3 window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 17:23
S108	142	open with (existing adj2 window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 18:05
S109	69	"user interface" and (open with (existing adj2 window))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 18:06

S110	15	"user interface" and ((select\$3 or choos\$3) with open\$3 with (existing adj2 window))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 18:07
S111	66	"new browser window" and (open\$3 with selected with "browser window")	US-PGPUB	OR	ON	2010/05/18 14:33
S112	119	"new browser window" and (open\$3 with select \$3 with "browser window")	US-PGPUB	OR	ON	2010/05/18 14:33
S113	1	"new browser window" and (open\$3 adj3 select\$3 adj2 "browser window")	US-PGPUB	OR	ON	2010/05/18 15:15
S114	1	(open\$3 adj3 select\$3 adj2 "browser window")	US-PGPUB	OR	ON	2010/05/18 15:16
S115	1	(open\$3 adj3 select\$3 adj2 "browser window")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 15:16
S116	3	(open\$3 adj3 (select\$3 or existing) adj2 "browser window")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 15:16
S117	196	"user interface" and (open\$3 adj3 (select\$3 or existing) adj2 window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 15:25
S118	35	"user interface" and (open\$3 adj3 "existing window")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/18 15:26
S119	126	select\$3 with target with window with open \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/18 15:01

S120	235	list\$3 with current\$2 with open with windows	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/18 15:03
S121	91	"715".clas. and (list\$3 with current\$2 with open with windows)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/18 15:04
S122	27	"715".clas. and (menu with list\$3 with current \$2 with open with windows)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/18 15:04
S123	16	list\$3 with current\$2 with open\$3 with active with windows	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/18 15:36
S124	30	"open in" with window	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/18 16:13
S125	5	choos\$3 with target with window with open \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/18 21:02
S126	25	choos\$3 with current \$2 with window with open\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/18 21:07
S127	38	choos\$3 with existing with window with open \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/18 21:15

S128	2	choos\$3 with existing with window with launch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/18 21:15
S129	0	"open link in window"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/18 21:48

EAST Search History (I nterference)

< This search history is empty >

12/ 19/ 2010 2:59:36 PM

**C:\ Documents and Settings\ salvesteffer\ My Documents\ EAST\ Workspaces\ 10728160
Method and apparatus for maintaining browser navigation relationships and for choosing a
browser window for new documents.wsp**